



FAIRWAY WOODS

Specifications

Insight BUL



Club Specifications	MODEL	LOFT	LIE	LENGTH	SWING WEIGHT	HAND
	Strong 3	13°	58°	43"	D2-D3	Right
	3	15°	58°	43"	D2-D3	Right & Left
	5	18°	58.5°	42.5"	D2-D3	Right & Left
	7	21°	59°	42"	D2-D3	Right

Shaft Specifications	WEIGHT	TORQUE	TIP DIAMETER	MANUFACTURER
	75 g	4°	0.335"	Aldila

- Flex: R, S, X
- Grip: Adams Traction Tour Velvet
- Shaft: Adams 75g Speedline by Aldila

Insight BUL Senior



Club Specifications	MODEL	LOFT	LIE	LENGTH	SWING WEIGHT	HAND
	3	15°	58°	43"	D2-D3	Right
	5	18°	58.5°	42.5"	D2-D3	Right
	7	21°	59°	42"	D2-D3	Right

Shaft Specifications	WEIGHT	TORQUE	TIP DIAMETER	MANUFACTURER
	55 g	4°	0.335"	Aldila

- Flex: A
- Grip: Senior Winn G8
- Shaft: Adams 55g

Insight BTY



Club Specifications	MODEL	LOFT	LIE	LENGTH	SWING WEIGHT	HAND
	Strong 3	12.5°	58°	43"	D2-D3	Right
	3	14.5°	58°	43"	D2-D3	Right & Left
	5	16.5°	58.25°	42.25"	D2-D3	Right
	7	18.5°	58.5°	42.5"	D2-D3	Right & Left

Shaft Specifications	WEIGHT	TORQUE	TIP DIAMETER	MANUFACTURER
	75 g	3.2°	0.335"	Graffaloy

- Flex: R, S, X
- Grip: Golf Pride Tour Velvet
- Shaft: Graffaloy Pro Launch Red

RPM Low Profile Standard



Club Specifications	MODEL	LOFT	LIE	LENGTH	SWING WEIGHT	HAND
	Strong 3	13°	58°	43"	D2-D3	Right
	3	15°	58°	43"	D2-D3	Right & Left
	4	17°	58.25°	42.75"	D2-D3	Right
	5	19°	58.5°	42.5"	D2-D3	Right & Left
	7	21°	59°	42"	D2-D3	Right & Left
	9	23°	59.5°	41.5"	D2-D3	Right

Shaft Specifications	WEIGHT	TORQUE	TIP DIAMETER	MANUFACTURER
GRAFALLOY PRO LAUNCH	75 g	3.3°	0.335"	Graffalloy
ALDILA NV	75 g	3.2°	0.335"	Aldila

- Flex: A, R, S, X
- Grip: Golf Pride Tour Velvet
- Shaft: Graffalloy Pro Launch, Aldila NV or NVS

RPM Low Profile Draw



Club Specifications	MODEL	LOFT	LENGTH	LIE	SWING WEIGHT	HAND
	3	15°	43"	58°	D1-D2	Right & Left
	5	19°	42.5"	58.5°	D1-D2	Right & Left
	7	21°	42"	59°	D1-D2	Right & Left
	9	23°	41.5"	59.5°	D1-D2	Right

Shaft Specifications	WEIGHT	TORQUE	TIP DIAMETER	MANUFACTURER
GRAFALLOY PRO LAUNCH	75 g	3.3°	0.335"	Graffalloy
ALDILA NV	75 g	3.2°	0.335"	Aldila

Flex

X

S

R

Grip

MEN'S

Golf Pride Velvet Feel

RPM Low Profile Senior



Club Specifications	MODEL	LOFT	LENGTH	LIE	SWING WEIGHT	HAND
	3	17°	43"	58°	D2	Right
	5	21°	42.5"	58.5°	D2	Right
	7	23°	42"	59°	D2	Right
	9	25°	41.5"	59.5°	D2	Right

Shaft Specifications	WEIGHT	TORQUE	TIP DIAMETER	MANUFACTURER
ALDILA NVS	55 g	4.5°	0.335"	Aldila

Flex

Senior

Grip

SENIOR'S

Winn

RPM Low Profile Tour



Club Specifications	MODEL	LOFT	LENGTH	LIE	SWING WEIGHT	HAND
	Strong 3	13°	43"	58°	D2-D3	Right
	3	14.5°	43"	58°	D2-D3	Right & Left
	4	16°	42.75"	58.25°	D2-D3	Right

Shaft Specifications	WEIGHT	TORQUE	TIP DIAMETER	MANUFACTURER
GRAFALLOY PRO LAUNCH	75 g	3.3°	0.335"	Graffalloy
ALDILA NV	75 g	3.2°	0.335"	Aldila
ALDILA NVS	55 g	4.5°	0.335"	Aldila

Flex

X

S

R

Senior

Grip

MEN'S

Golf Pride Velvet Feel

SENIOR'S

Winn

Redline RPM Titanium



Club Specifications

MODEL	LOFT	LENGTH	LIE	SWING WEIGHT	HAND
Strong 3	13°	43"	58°	D2	Right
3	15°	43"	58°	D2	Right & Left
4	17°	42.75"	58.25°	D2	Right
5	19°	42.5"	58.5°	D2	Right
7	21°	42"	59°	D2	Right & Left

Shaft Specifications

WEIGHT	TORQUE	TIP DIAMETER	MANUFACTURER
75 g	4.25°	0.335"	Fujikura

· Flex: A, R, S, X
 Shaft: Proprietary Fujikura for Adams
 Grip: Golf Pride Velvet Feel

Redline RPM Titanium



Club Specifications

MODEL	LOFT	LENGTH	LIE	SWING WEIGHT	HAND
Strong 3	13°	43"	58°	D2	Right
3	15°	43"	58°	D2	Right & Left
5	19°	42.5"	58.5°	D2	Right & Left

Shaft Specifications

WEIGHT	TORQUE	TIP DIAMETER	MANUFACTURER
75 g	4.5°	0.350"	Fujikura

· High balance point
 · Custom specifications available. All specs are nominal

Flex & Grip Options

GRAPHITE SHAFT

A	Regular	Stiff	XStiff
---	---------	-------	--------

Flex: A, R, S, X
 Shaft: Proprietary Fujikura for Adams
 Grip: Golf Pride Velvet Feel